

Fall Creek Falls State Park Species List

By Cumberland Mycological Society, Crossville, TN

click on underlined species for web links to details about those species

Click underlined x's for photo links

Inventory List:	Common Name (if applicable)	Oct-11	Oct-11	Jul-12	Aug-13	Jun-14	Edibility Notes*
<u>Albatrellus pes-caprae</u> syn. <u>Polyporus pes-caprae</u>	"Goat's Foot"		<u>x</u>				edible when thoroughly cooked
<u>Amanita abrupta</u>	"Abrupt-bulbed Lepidella"				<u>x</u>	<u>x</u>	unknown and possibly poisonous
<u>Amanita amerifulva</u> [often called 'Amanita fulva' -a European species]	"Tawny Grisette"	<u>x</u>			<u>x</u>	<u>x</u>	edible -with extreme caution!!
<u>Amanita amerirubescens</u>	"Blusher"	<u>x</u>			<u>x</u>	<u>x</u>	edible -with extreme caution!!
<u>Amanita atkinsoniana</u>	"Atkinson's Lepidella"					<u>x</u>	possibly poisonous
<u>Amanita bisporigera</u> = <u>A. virosa</u> sensu auct. amer. (Ref. RET)	"Destroying Angel"	<u>x</u>	<u>x</u>		<u>x</u>	<u>x</u>	deadly poisonous!
<u>Amanita brunnescens</u>	"Cleft foot-Amanita"	<u>x</u>				<u>x</u>	possibly poisonous
<u>Amanita citrina</u> sensu auct. amer.	"Citron Amanita," "False Death Cap"	<u>x</u>	<u>x</u>				possibly poisonous
<u>Amanita cokeri</u>	"Coker's Amanita"					<u>x</u>	possibly poisonous
<u>Amanita daucipes</u>	"Turnip-foot Amanita"	<u>x</u>	<u>x</u>	<u>x</u>			possibly poisonous
<u>Amanita farinosa</u>	"Powdery-cap Amanita"				<u>x</u>	<u>x</u>	unknown; not recommended
<u>Amanita flavoconia</u>	"Yellow Patches"				<u>x</u>	<u>x</u>	possibly poisonous
<u>Amanita gemmata</u> complex	"Gem-studded Amanita"				<u>x</u>	<u>x</u>	possibly poisonous
<u>Amanita parvicolvata</u>	"Ringless False Fly Agaric"					<u>x</u>	likely poisonous
<u>Amanita rhopalopus</u>	"American Club-footed Lepidella"			<u>x</u>			inedible
<u>Amanita subcokeri</u> Tulloss nom. prov. = <u>Amanita species M5</u>	"False Coker's Lepidella"	<u>x</u>		<u>x(?)</u>	<u>x</u>		inedible or unknown
<u>Armillaria caligata</u> var. <u>glaucescens</u>	none	<u>x</u>	<u>x</u>				edible, but most often bitter and smelly
<u>Armillaria mellea</u> syn. <u>Armillariella mellea</u>	"Honey Mushroom"	<u>x</u>					edible (for most) if well-cooked
<u>Artomyces pyxidatus</u> syn. <u>Clavicornia pyxidata</u> , syn. <u>Clavaria pyxidata</u>	"Crown-tipped Coral"				<u>x</u>		edible -may be toxic in large amts.
<u>Auricularia auricula-judae</u> syn. <u>A. auricula</u>	"Wood Ear," "Jelly Ear," "Tree Ear"			<u>x</u>			edible and medicinal
<u>Bisporella citrina</u> syn. <u>Helotium citrinum</u> , syn. <u>Calycella citrina</u>	"Yellow Fairy Cups"		<u>x</u>		<u>x</u>		unknown
<u>Bolbitius titubans</u> syn. <u>B. vitellinus</u>	"Yellow Bolbitius"				<u>x</u>		reportedly edible, but of little consequence
<u>Boletellus chrysenteroides</u>	none				<u>x</u>	<u>x(?)</u>	edible
<u>Boletus auriflammeus</u> syn. <u>Pulveroboletus auriflammeus</u>	"Flaming Gold Bolete"				<u>x</u>		edible, but poor
<u>Boletus auriporus</u> syn. <u>Boletus viridiflavus</u>	"Gold-pored Bolete"					<u>x</u>	edible
<u>Boletus hortonii</u> syn. <u>Boletus subglabripes</u> var. <u>corrugis</u>	"Corrugated Bolete"					<u>x</u>	edible
<u>Boletus innixus</u> syn. <u>B. caespitosus</u> , syn. <u>Austroboletus innixus</u>	"Clustered Brown Bolete"				<u>x</u>	<u>x</u>	edible
<u>Boletus longicurvipes</u>	none				<u>x</u>		edible
<u>Boletus pallidus</u>	"Pale Bolete"				<u>x</u>		edible
<u>Boletus cf vermiculosoides</u>	none					<u>x</u>	unknown
<u>Bondarzewia berkeleyi</u> syn. <u>Polyporus berkeleyi</u>	"Berkeley's Polypore" "Stump Blossoms"				<u>x</u>		edible when young; tough & bitter w/ age
<u>Callistosporium luteo-olivaceum</u> syn. <u>Collybia luteo-olivaceum</u>	none				<u>x</u>		unknown
<u>Calocera cornea</u>	"Club-like Tuning Fork"					<u>x</u>	inedible/unknown/inconsequential
<u>Calostoma ravenelii</u>	"Ravenel's Calostoma"		<u>x</u>				inedible
<u>Camarops petersii</u> syn <u>Bolinia petersii</u> ; <u>Hypoxylon petersii</u> ; <u>Peridoxylon petersii</u>	"Dog's Nose Fungus"				<u>x</u>		inedible
<u>Cantharellus appalachiensis</u>	"Appalachian Chanterelle"				<u>x</u>		edible
<u>Cantharellus "cibarius"</u>	"Golden Chanterelle"				<u>x</u>	<u>x</u>	choice edible -with caution
<u>Cantharellus cinnabarinus</u>	"Cinnabar Chanterelle"				<u>x</u>	<u>x</u>	edible and good
<u>Ceratiomyxa fruticulosa</u>	"Coral Slime"				<u>x</u>		inedible
<u>Cerrena unicolor</u> syn. <u>Trametes unicolor</u> , syn. <u>Daedalea unicolor</u>	"Mossy Maze Polypore"	<u>x</u>					inedible
<u>Chlorociboria aeruginascens</u> syn. <u>Chlorosplenium aeruginascens</u>	"Blue-green Wood Stain"	<u>x</u>					inedible

<u>Chlorociboria aeruginascens [or Chlorociboria aeruginosa]</u>	"Blue-green Wood Stain"		x	x		x		inedible
<u>Chroogomphus ochraceus = [N. Amer. misapplied name] C. rutilus</u>	"Pine Spike"		x					edible
<u>Clavulina cinerea</u>	"Grey Coral"					x		edible, but not worthwhile
<u>Clavulinopsis aurantio-cinnabarina</u>	"Orange Spindle Coral"				x	x		reportedly edible
<u>Clavulinopsis fusiformis syn. Clavaria fusiformis</u>	"Golden Spindles"				x			edible, but sometimes bitter
<u>Coltricia cinnamomea syn. Polyporus cinnamomeus</u>	"Shiny Cinnamon polypore"				x	x		unknown or inedible
<u>Cortinarius caperatus syn. Rozites caperata</u>	"The Gypsy"	x	x					edible and medicinal
<u>Cortinarius harrisonii nov. syn. C. sanguineus var. subcinnabarinus nom. inval.</u>	none				x			
<u>Cortinarius violaceus</u>	"Violet Cort"	x						not recommended
<u>Craterellus ignicolor syn. Cantharellus ignicolor</u>	"Flame-colored Chanterelle"	x			x	x		most likely edible
<u>Crepidotus versutus</u>	none			x				unknown
<u>Cronartium quercuum</u>	"Oak Pine Rust"	x	x					inedible
<u>Crucibulum laeve syn. Crucibulum vulgare</u>	"White Egg Bird's Nest"	x		x				inedible
<u>Dacrymyces palmatus</u>	"Orange Jelly Cap"	x	x	x	x	x		reports vary -prob. edible, but bland
<u>Dacryopinax spathularia</u>	"Fan-shaped Jelly Fungus"			x	x			unknown
<u>Daedalea quercina syn. Trametes quercina</u>	"Thick-maze oak polypore"	x						inedible
<u>Daedaleopsis confragosa syn. Daedalea confragosa</u>	"Thin-maze Flat Polypore"	x	x					inedible
<u>Elaphocordyceps ophioglossoides syn. Cordyceps ophioglossoides</u>	"Golden Thread Cordyceps"				x			unknown
<u>Entoloma salmoneum syn. Nolanea salmonea syn., Nolanea quadrata</u>					x	x		possibly poisonous
<u>Entoloma cf sericellum syn. Alboleptonia sericella</u>	none				x			inedible
<u>Entoloma cf sericeum syn. Nolanea sericea</u>	"Silky Noleana"				x			unknown
<u>Entoloma cf strictius syn. E. strictior, syn. Noleana strictia</u>	"Straight-stalked Entoloma"				x			poisonous
<u>Exidia recisa</u>	"Amber Jelly Roll"		x	x				unknown
<u>Fistulina hepatica</u>	"Beafsteak Polypore"	x						edible and reportedly medicinal
<u>Fomitopsis cajanderi</u>	"Rosy Polypore"	x	x	x	x	x		inedible
<u>Fomitopsis spraguei syn. Polyporus spraguei syn. Tyromyces spraguei</u>	none				x			inedible
<u>Fuligo septica</u>	"Dog Vomit Slime Mold"			x	x			inedible
<u>Galerina marginata syn. G. autumnalis syn. Pholiota autumnalis</u>	"Deadly Galerina"		x					deadly poisonous!
<u>Galiella rufa syn. Bulgaria rufa</u>	"Hairy Rubber Cup"			x		x		inedible
<u>Ganoderma applanatum syn. G. lipsiense</u>	"Artist's Conk"			x				inedible, but medicinal
<u>Ganoderma lucidum</u>	"Reishi," "Ling Chi"		x		x	x		inedible, but very medicinal
<u>Ganoderma tsugae</u>	"Hemlock Varnish Shelf"			x				inedible, but very medicinal
<u>Geastrum triplex</u>	"Collared Earthstar"				x			inedible
<u>Geoglossum simile syn. Geoglossum glabrum var. simile</u>	none					x		inedible
<u>Gerronema strombodes syn. Chrysomphalina strombodes</u>	none			x	x	x		unknown
<u>Grifola frondosa syn. Polyporus frondosa</u>	"Hen of the Woods," "Maitake"	x	x					excellent edible and also medicinal
<u>Gymnopus foetidus syn. Micromphale foetidum syn. Marasmius foetidus</u>	"Fetid Marasmius"					x(?)		unknown
<u>Hapalopilus nidulans syn. H. rutilans syn. Polyporus nidulans</u>	"Tender Nesting Polypore"			x				inedible
<u>Harrva chromapes syn. Tylopilus chromapes syn. Leccinum chromapes</u>	"Chrome-footed Bolete"				x			edible
<u>Hericium americanum</u>	"Lion's Mane"	x						excellent edible
<u>Hericium erinaceus</u>	"Lion's Mane," "Bearded Tooth"	x	x					excellent edible
<u>Hericium erinaceus subsp. erinaceo-abietis</u>	"Lion's Mane," "Bearded Tooth"		x					choice edible
<u>Humidicutis marginata var. concolor syn. Hygrocybe marginata var. concolor</u>	"Orange-gilled Waxy Cap"				x			edible
<u>Hydnellum spongiosipes syn. H. velutinum</u>	"Spongy-footed Tooth"				x			inedible
<u>Hydnochaete olivacea</u>	"Brown-toothed Crust"			x				inedible
<u>Hydnum repandum syn. Dentium repandum</u>	"Hedgehog," "Sweet Tooth"		x		x	x		edible and good

<u>Hydnum repandum</u> var. <u>albidum</u> syn. <u>Hydnum albidum</u>	"Hedgehog," "Sweet Tooth"					X	X		edible (can be slightly bitter or acrid)
<u>Hygrocycbe purpureofolia</u> syn. <u>Hygrophorus purpureofolius</u>	"Lavender-gilled Wax Cap"					X			unknown
<u>Hygrocycbe virginea</u> syn. <u>Camarophyllum virgineus</u> syn. <u>Hygrophorus virgineus</u>	"Snowy Wax Cap"		X						possibly edible
<u>Hymenopellis incognita</u> f. <u>microspora</u>	none						x(?)		unknown
<u>Infundibulicybe gibba</u> syn. <u>Clitocybe gibba</u>	"Funnel Cap"						x		edible w/ caution
<u>Inocybe adaequata</u> syn. <u>I. jurana</u> syn. <u>I. rhodiola</u>	none						x(?)		unknown
<u>Inocybe unicolor</u>	none						x(?)		no information
<u>Laccaria laccata</u>	"Common Laccaria"		X						edible
<u>Laccaria ochropurpurea</u>	"Purple Gilled Laccaria"	X	X						edible, but rather poor
<u>Lactarius argillaceifolius</u> var. <u>argillaceifolius</u>	"Clay-gilled Milk Cap"						X		unknown
<u>Lactarius corrugis</u> syn. <u>Lactarius volemus</u> var. <u>subrugosus</u>	"Corrugated Milk Cap"						X		edible and quite good
<u>Lactarius deterrimus</u> syn. <u>L. deliciosus</u> var. <u>deterrimus</u> [part of <u>L. deliciosus</u> group]	"Orange-latex Milky"		X						edible
<u>Lactarius gerardii</u> var. <u>subrubescens</u>	"Gerard's Lactarius"						X		likely edible /unknown
<u>Lactarius imperceptus</u>	none	X	x(?)						inedible: bitter/peppery
<u>Lactarius maculatipes</u>	"Spotted-stalk Milk Cap"						X		unknown
<u>Lactarius piperatus</u> var. <u>piperatus</u>	"Peppery Milk-cap"					X			extremely acrid and likely toxic
<u>Lactarius speciosus</u>	none						X		unknown
<u>Lactarius subvernalis</u> var. <u>subvernalis</u>	none						X		not recommended -and it is acrid
<u>Lactarius volemus</u>	"Bradley," "Tawny Milk Cap"					X			edible and good
<u>Laetiporus cincinnatus</u> syn. <u>L. sulphureus</u> var. <u>semialbinus</u>	"White Pored Chicken of the Woods"				X	X	X		choice edible (with exceptions)
<u>Laetiporus sulphureus</u> syn. <u>Polyporus sulphureus</u>	"Sulfur Shelf" "Chicken of the Woods"	X	X	X					choice edible (with exceptions)
<u>Leccinum albillum</u>	none						X		edible
<u>Lentinellus subaustralis</u> [very similar to <u>Lentinellus micheneri</u>]	none	X							no information
<u>Lenzites betulina</u> syn. <u>Trametes betulina</u> syn. <u>Daedalea betulina</u>	"Multicolor Gill Polypore"		X						inedible
<u>Leotia lubrica</u>	"Jelly Babies"						X		inedible
<u>Leucopaxillus albissimus</u>	"White Leucopax"	X							inedible: bitter
<u>Lycogala epidendrum</u> syn. <u>Lycoperdon epidendrum</u>	"Wolf's Milk Slime," "Toothpaste Slime"	X				X	X		inedible
<u>Lycogala flavofuscum</u>	none	X							inedible
<u>Lycogala terrestre</u>	none				X				inedible /unknown
<u>Lycoperdon perlatum</u> syn. <u>L. gemmatum</u>	"Gem-Studded Puffball"	X	X	X					edible when young and white inside
<u>Lycoperdon pyriforme</u> syn. <u>Morganella pyriformis</u>	"Pear-shaped Puffball"		X						edible when young and white inside
<u>Lyophyllum decastes</u> group	"Fried Chicken Mushroom"	X							edible -with caution
<u>Marasmiellus candidus</u> syn. <u>M. albuscorticis</u> syn. <u>Marasmius candidus</u>	"White Marasmius"				X				inconsequential
<u>Marasmius cystidiosus</u>	none					X			inedible /unknown
<u>Marasmius fulvoferrugineus</u> (or possibly <u>M. siccus</u>)	"Orange Pinwheel Marasmius"	X				X			unknown
<u>Marasmius rotula</u>	"Pinwheel Marasmius"						X		inedible
<u>Marasmius siccus</u>	"Orange Pinwheel Marasmius"		X						unknown
<u>Marasmius sullivantii</u>	none					X			unknown
<u>Megacollybia rodmani</u> complex [former misapplied name = <u>M. platyphyllo</u>]	"Platterful Mushroom"					X	X		gastric upset in some -best avoided
<u>Microglossum rufum</u>	"Orange Earth Tongue"					X	X		inedible
<u>Mycena inclinata</u>	"The Clustered Bonnet"	X	X						inedible
<u>Mycorrhaphium adustum</u> syn. <u>Steccherinum adustum</u>	"Kidney-shaped Tooth"				X	X	X		inedible
<u>Neolentinus lepideus</u> syn. <u>Agaricus lepideus</u> syn. <u>Lentinus lepideus</u>	"Train Wrecker"				X				edible
<u>Oligoporus caesius</u> syn. <u>Tyromyces caesius</u> syn. <u>Postia caesia</u>	"Blue Cheese Polypore"	X	X						inedible
<u>Oligoporus fragilis</u> syn. <u>Postia fragilis</u> syn. <u>Tyromyces fragilis</u>	"Brown-staining Cheese Polypore"	X	x(?)						inedible
<u>Omphalotus illudens</u> syn. <u>O. olearius</u> , syn. <u>Clitocybe illudens</u>	"Jack O'Lantern"	X				X	X		poisonous

<u>Panellus stipticus</u> syn. <u>Panus stipticus</u>	"Blue Oyster," "Bitter Oyster"	x	x	x				inedible (topically medicinal)
<u>Phaeolus schweinitzii</u> syn. <u>Polyporus schweinitzii</u>	"Dyer's Polypore," "Butt Rot Fungus"	x			x	x		inedible and possibly poisonous
<u>Phellinus gilvus</u> syn. <u>Polyporus gilvus</u>	"Mustard-yellow Polypore," "Oak Conk"	x	x			x		inedible
<u>Phellodon alboniger</u>	none				x			inedible
<u>Phlebia incarnata</u> syn. <u>Merulius incarnatus</u>	"Coral-pink Merulius"	x	x		x			inedible or unknown
<u>Phlebia tremellosa</u> syn. <u>Merulius tremellosus</u>	"Trembling Merulius"	x	x					inedible
<u>Phylloporus rhodoxanthus</u> syn. <u>P. rhodoxanthus</u> ssp. <u>americanus</u>	"Gilled Bolete"				x	x		edible
<u>Pleurotus levis</u> syn. <u>Lentinus levis</u> syn. <u>Panus levis</u> syn. <u>Panus strigosus</u>	"Giant Panus"				x			edible when young and soft
<u>Pleurotus ostreatus</u>	"Oyster"					x		edible and good when young and fresh
<u>Pluteus cervinus</u> syn. <u>P. atricapillus</u>	"Deer or Fawn Mushroom"	x	x	x				a mediocre edible
<u>Pluteus flavofulgineus</u>	"Smoky Yellow Pluteus"				x			possibly edible, but uncertain
<u>Polyporus alveolaris</u> syn. <u>Polyporus mori</u> , syn. <u>Favolus alveolaris</u>	"Hexagonal-pored Polypore"		x					edible, but tough
<u>Polyporus radicans</u>	"Rooting Polypore"	x						inedible
<u>Polyporus varius</u> syn. <u>P. elegans</u>	"Elegant Polypore"					x		inedible
<u>Pseudomerulius curtisii</u> syn. <u>Meiorganum curtisii</u> , syn. <u>Paxillus corrugatus</u>	none		x		x			unknown
<u>Ramaria botrytis</u>	"Pink-tipped Coral Mushroom"					x(?)		edible, but laxative effect in some people
<u>Retiboletus ornatipes</u> syn. <u>Boletus ornatipes</u>	"Ornate-stalked Bolete"				x	x		inedible in our region -too bitter
<u>Reticularia splendens</u>	"Red Slime Mold"					x		inedible or unknown
<u>Rhizopogon evadens</u>	none		x					inedible
<u>Rhodocollybia maculata</u> syn. <u>Collybia maculata</u>	"Spotted Collybia"	x						inedible, bitter
<u>Rickenella fibula</u> syn. <u>Mycena fibula</u> syn. <u>Omphalina fibula</u>	"Orange Moss Agaric"				x			unknown/insignificant
<u>Russula brevipes</u> syn. <u>R. delica</u>	"Short-stalked White Russula"	x						possibly edible, but poor
<u>Russula compacta</u>	"Firm Russula"				x	x		edible, but very poor -avoid
<u>Russula crustosa</u>	"Green Quilt Russula"					x		edible and good
<u>Russula cyanoxantha</u>	"Charcoal Burner"					x		edible -good
<u>Russula earlei</u>	"Beeswax Russula"				x			unknown
<u>Russula parvovirescens</u>	[note: a green Russula]				x	x		edible
<u>Russula per lactea</u>	"White-hot Russula"	x	x					inedible -acid
<u>Schizophyllum commune</u>	"Common Split Gill"			x	x			inedible
<u>Simocybe centunculus</u> syn. <u>Naucoria centuncula</u>	"American Simocybe"			x				unknown
<u>Sparassis americana</u> f. <u>americana</u> = <u>Sparassis crispa</u> sensu auct. amer.	"Cauliflower Mushroom"	x			x			edible and good when young
<u>Sparassis spathulata</u> syn. <u>S. herbstii</u>	"Cauliflower Mushroom"				x			edible
<u>Spathulariopsis velutipes</u> syn. <u>Spathularia velutipes</u>	"Velvet Fairy Fan"					x		inedible or unknown
<u>Spongipellis pachvodon</u> syn. <u>Hydnum pachvodon</u> syn. <u>Irpex mollis</u>	"Spongy Toothed Polypore"		x					inedible
<u>Stereum complicatum</u> syn. <u>S. rameale</u>	"Golden Parchment Fungus"	x	x	x	x	x		inedible
<u>Stereum hirsutum</u>	"Hairy Parchment"	x	x					inedible
<u>Stereum ostrea</u> syn. <u>S. fasciatum</u> , syn. <u>S. lobatum</u> , syn. <u>S. versicolor</u>	"False Turkey Tail"	x	x	x	x	x		inedible
<u>Strobilomyces confusus</u>	"Old Man of the Woods"				x	x		edible, but poor
<u>Strobilomyces "strobilaceus"</u> syn. <u>Strobilomyces "floccopus"</u>	"Old Man of the Woods"				x			edible, but poor
<u>Suillus brevipes</u>	"Short-stalked Suillus"		x					edible
<u>Suillus granulatus</u> syn. <u>S. lactifluus</u>	"Granulated Slippery Jack"				x			edible
<u>Suillus hirtellus</u>	none					x		edible
<u>Sutorius eximius</u> syn. <u>Tylopilus eximius</u> syn. <u>Leccinum eximium</u>	"Lilac-brown Bolete"				x			poisonous in some -not recommended
<u>Tapinella atrotomentosa</u> syn. <u>Paxillus atrotomentosus</u>	"Velvet-footed Pax"				x	x		inedible likely poisonous
<u>Tetrapyrgos nigripes</u> syn. <u>Marasmiellus nigripes</u> syn. <u>Marasmius nigripes</u>	"Black-footed Marasmius"			x				unknown
<u>Thelephora anthocephala</u> var. <u>americana</u>	none					x(?)		inedible/unknown

<u>Thelephora vialis</u>	"Ground Wart"				<u>X</u>	<u>X</u>		inedible
<u>Trametes versicolor syn. Coriolus versicolor</u>	"Turkey Tail"	x	x		<u>X</u>			inedible, but medicinal
<u>Trametopsis cervina syn. Trametes cervina</u>	none	x						inedible
<u>Tremella foliacea syn. Ulocolla foliacea</u>	"Brown Witches Butter," "Jelly Leaf"	x			<u>X</u>			edible but reportedly bland
<u>Tremella fuciformis</u>	"Silver Ear," "Snow Fungus"			x				edible and medicinal
<u>Tremella mesenterica syn. T. lutescens</u>	"Witch's Butter"	x	x					edible, but bland
<u>Tremellodendron pallidum syn. T. schweinitzii</u>	"False Coral"		x		<u>X</u>	<u>X</u>		edible, but not worthwhile
<u>Trichaptum biforme syn. Polyporus biformis</u>	"Violet Toothed Polypore"	x	x	x				inedible
<u>Tricholoma sejunctum</u>	"Separated Tricholoma"	x						inedible /possible poisonous
<u>Tricholoma subresplendens [=T. resplendens & T. columbetta, misapplied]</u>	"White Tricholoma"	x						unknown /not recommended
<u>Tricholomopsis decora syn. Clitocybe decora</u>	"Decorated Mop"				<u>X</u>			serious poisoning reported in 2006
<u>Tubifera ferruginosa</u>	"Red Raspberry Slime"					<u>X</u>		
<u>Tyromyces chioneus syn. T. albellus, syn. Polyporus albellus</u>	"White Cheese Polypore"		x	x		<u>X</u>		inedible -poss. medicinal
<u>Tylopilus balouii</u>	"Burnt-orange Bolete"				<u>X</u>			edible /poor quality
<u>Tylopilus plumbeoviolaceus</u>	"Violet-grav Bolete," "Plum Bolete"				<u>X</u>			inedible -bitter
<u>Wolfina aurantiopsis</u>	none			x				inedible
<u>Xanthoconium purpureum syn. Boletus purpureofuscus</u>	none				<u>X</u>			most likely edible
<u>Xylaria cf longiana</u>	none				<u>X</u>			inedible
<u>Xylaria polymorpha syn. Xylosphaera polymorpha</u>	"Dead Man's Fingers"		x					inedible
<u>Xylobulus frustulatus syn. Stereum frustulosum</u>	"Ceramic Parchment"			x				inedible

species in brown text respresent species from the most recent foray that were identified for the 1st time at CMS forays

In you notice any errors, discrepancies or inaccuracies, please click below:

[Email Contact](#)

Total Species Identified	59	63	37	89	76
New Species identified (1st time here)		23	22	61	32

The specimens noted below were not identified to species:

Agaricus species				x		<u>X</u>
Amanita species					<u>X</u>	
Amanita species					<u>X</u>	
Amanita sect. vaginatae						<u>X</u>
Cortinarius species	x	x			<u>X</u>	<u>X</u>
Cortinarius species	x				<u>X</u>	
Cortinarius species	x					
Crepidotus species						<u>X</u>
Cystoderma species	x					
Entoloma species	x				<u>X</u>	<u>X</u>
Gymnopilus species	x	x				
Hemimycena species				x(?)		
Hydnellum species					<u>X</u>	<u>X</u>
Hydnellum species						<u>X</u>
Hygrocybe species						<u>X</u>
Hymenochaete species		x				
Inocybe species					<u>X</u>	<u>X</u>
Inocybe species					<u>X</u>	
Inonotus species	x				<u>X</u>	

***The edibility listing is only intended as a guide. Be sure to check several sources before consuming any wild mushrooms, which may be toxic. Cumberland Mycological Society, it's officers and members, assume no liability for these contents, nor their accuracy. Those who consume wild mushrooms should be absolutely certain of their identification, should consult multiple credible sources for for verification, and assume full responsibility for their actions.**

Laccaria species					X	
Lactarius species						X
Lactarius species						X
Leptonia species					X	
Lycoperdon species			X			X
Polypore species				X		
Ramaria species		X			X	X
Russula species		X	X		X	X
Russula foetens group						X
Sarcodon species						X
Scutelinia species					X	
Rhizopogon species		X				
Tricholoma species			X			
Tricholoma species			X			
Tricholomopsis species		X				
Tylopilus species					X	
Xylaria species					X	X

species highlighted in brown represent species from the most recent foray that were identified for the 1st time at CMS forays

Note: This species list is not representative of all mushrooms present on a given date. Collecting is limited to certain trails and locations and not all specimens found are always gathered. Many of the collected specimens never get identified or recorded for various reasons, which include (but are not limited to): time restraints and condition of specimens.

For best printing results, reduce margins and print landscape mode on legal paper

For Cumberland Mycological Society home page, click link below:
www.cumberlandmycology.com