

Rock Island State Park Species List

By Cumberland Mycological Society, Crossville, TN

click on underlined species for web links to details about those species

Place cursor over cells with red triangles to view pictures and/or comments

| Inventory List: | Common Name (if applicable) | Jun-12 | Oct-12 | Jun-13 | Aug-14 | Sep-15 | Edibility Notes* |
|--|-------------------------------------|--------|--------|--------|--------|--------|--|
| <u>Aleuria aurantia</u> syn. <u>Peziza aruantia</u> | "Orange Peel" | | x(?) | | | | edible but flavorless |
| <u>Agaricus placomyces</u> | "Eastern Flat-topped Agaricus" | x(?) | | | | | poisonous |
| <u>Agaricus pocillator</u> | none | | x | | | | unknown -possibly poisonous |
| <u>Agaricus silvicola</u> | none | x | | | | | edible (with extreme caution) |
| <u>Amanita abrupta</u> | "Abrupt-bulbed Lepidella" | | | | x | | unknown and possibly poisonous |
| <u>Amanita amerifulva</u> [often called 'Amanita fulva' -a European species] | "Tawny Grisette" | | x | | x | x | edible -with extreme caution!! |
| <u>Amanita amerirubescens</u> | "Blusher" | | x | x | x | x | edible -with extreme caution!! |
| <u>Amanita atkinsoniana</u> | "Atkinson's Lepidella" | | | | | x | possibly poisonous |
| <u>Amanita banningiana</u> | "Mary Banning's Slender Caesar" | | | x | x | | |
| <u>Amanita bisporigera</u> = <u>A. virosa</u> sensu auct. amer. (Ref. RET) | "Destroying Angel" | x | x | x | | x | deadly poisonous! |
| <u>Amanita brunnescens</u> | "Cleft foot-Amanita" | | | x | x | | possibly poisonous |
| <u>Amanita cinereoconia</u> var. <u>cinereoconia</u> | "American Gray Dust Lepidella" | | | | x | x | no information -best avoided |
| <u>Amanita citrina</u> f. <u>lavendula</u> | "Lavender-staining Citrina" | | x | | | | possibly poisonous |
| <u>Amanita citrina</u> sensu auct. amer. | "Citron Amanita," "False Death Cap" | | x | | | | possibly poisonous |
| <u>Amanita daucipes</u> | "Turnip-foot Amanita" | | | x | x | x | possibly poisonous |
| <u>Amanita farinosa</u> | "Powdery-cap Amanita" | x | x | x | x | x | unknown; not recommended |
| <u>Amanita flavoconia</u> | "Yellow Patches" | x | | x | x | x | possibly poisonous |
| <u>Amanita gemmata</u> complex | "Gem-studded Amanita" | | | x | x | | possibly poisonous |
| <u>Amanita jacksonii</u> syn. <u>A. umbonata</u> , syn. <u>A. caesarea</u> | "American Caesar's Mushroom" | | | | x | x | edible -with extreme caution!! |
| <u>Amanita muscaria</u> var. <u>guessowii</u> syn. <u>A. muscaria</u> var. <u>formosa</u> | "Yellow-orange Fly Agaric" | | x | | | | poisonous |
| <u>Amanita parcivolvata</u> | "Ringless False Fly Agaric" | | | x | x | | likely poisonous |
| <u>Amanita polypvramis</u> | "Plateful of Pyramids Lepidella" | | x | | x | x | poisonous |
| <u>Amanita roseotincta</u> syn. <u>Amanita komarekensis</u> | "Rose-Tinted Amanita" | | | | | x | unknown; not recommended |
| <u>Amanita subcockeri</u> Tulloss nom. prov. = <u>Amanita</u> species M5 | "False Coker's Lepidella" | | | | x | x | inedible or unknown |
| <u>Amanita submaculata</u> | "Ball Gown Amanita" | | | x | | x | no information |
| <u>Annulohypoxylon archeri</u> syn. <u>Hypoxylon archeri</u> | none | | x | | | | inedible |
| <u>Armillaria caligata</u> var. <u>glaucescens</u> | none | | x | | x | | edible, but most often bitter and smelly |
| <u>Armillaria mellea</u> syn. <u>Armillariella mellea</u> | "Honey Mushroom" | | | | | x | edible (for most) if well-cooked |
| <u>Artomyces pyxidatus</u> syn. <u>Clavicornia pyxidata</u> , syn. <u>Clavaria pyxidata</u> | "Crown-tipped Coral" | x | | x | | | edible -may be toxic in large amts. |
| <u>Aureoboletus auriporus</u> syn. <u>Boletus auriporus</u> syn. <u>Boletus viridiflavus</u> | "Gold-pored Bolete" | | | | x | x | edible |
| <u>Auricularia 'auricula-judae'</u> syn. <u>A. 'auricula'</u> [misapplied names] | "Wood Ear," "Jelly Ear," "Tree Ear" | x | | | | | edible and medicinal |
| <u>Auricularia fuscossuccinea</u> | "Wood Ear," "Jelly Ear," "Tree Ear" | | | x | | | edible and medicinal |
| <u>Bisporella citrina</u> syn. <u>Helotium citrinum</u> , syn. <u>Calycella citrina</u> | "Yellow Fairy Cups" | | x | | | | unknown |
| <u>Bolbitius reticulatus</u> syn. <u>Bolbitius aleuriatus</u> | none | | x | | | | unknown |
| <u>Boletus campestris</u> | none | | | | x | | not recommended |
| <u>Boletus hortonii</u> syn. <u>Boletus subglabripes</u> var. <u>corrugis</u> | "Corrugated Bolete" | | | x | x | | edible |
| <u>Boletus pallidus</u> | "Pale Bolete" | | | | x | | edible |
| <u>Boletus roodvi</u> | none | | | | x | | |
| <u>Boletus roxanae</u> syn. <u>Xerocomus roxanae</u> | none | | x | | x | x | poss. edible, sometimes unpalatable |
| <u>Callistosporium luteo-olivaceum</u> syn. <u>Collybia luteo-olivaceous</u> | none | | | x | | | unknown |
| <u>Callistosporium purpureomarginatum</u> | none | | | x | | | unknown |

| Inventory List: | Common Name (if applicable) | Jun-12 | Oct-12 | Jun-13 | Aug-14 | Sep-15 | Edibility Notes* |
|--|------------------------------------|--------|--------|--------|--------|--------|---------------------------------------|
| <u>Cantharellus appalachiensis</u> | "Appalachian Chanterelle" | | | X | | | edible |
| <u>Cantharellus "cibarius"</u> | "Golden Chanterelle" | X | X | X | X | X | choice edible -with caution |
| <u>Cantharellus cinnabarinus</u> | "Cinnabar Chanterelle" | | X | X | X | | edible and good |
| <u>Cantharellus odoratus syn. Craterellus odoratus syn. Craterellus lateritius</u> | none | | | | X | | edible |
| <u>Cantharellus persicinus</u> | "Peach Chanterelle" | | | | X | | edible |
| <u>Chroogomphus ochraceus = [N. Amer. misapplied name] C. rutilus</u> | "Pine Spike" | | X | | | | edible |
| <u>Clavaria rubicundula</u> | "Smoky Worm Coral" | | X | | | | unknown |
| <u>Clavariadelphus pistillaris syn. Clavaria pistillaris</u> | "Pestle-shaped Coral" | | X | | | | edible, but sometimes bitter |
| <u>Clavulina cinerea</u> | "Grev Coral" | | | X | | | edible, but not worthwhile |
| <u>Clavulinopsis aurantio-cinnabarina</u> | "Orange Spindle Coral" | X | | | X | | reportedly edible |
| <u>Clitocybe fragrans</u> | none | | X | | | | not recommended |
| <u>Clitocybe odora</u> | "Anise-scented Clitocybe" | | | | X | | edible, but best avoided |
| <u>Clitocybe subconnexa syn. Clitopilus caespitosus</u> | "Clustered Clitocybe" | | X | | | | not recommended |
| <u>Clitocybe tarda syn. Lepista tarda syn. Clitocybe sordida</u> | none | | X | | | | reportedly edible |
| <u>Clitopilus prunulus</u> | "Sweetbread Mushroom" | X | | | X | | edible w/ caution (look-alikes!) |
| <u>Coprinellus micaceus syn. Coprinus micaceus</u> | "Mica Cap" | | X | | | | edible |
| <u>Coprinopsis variegata syn. Coprinus variegatus syn. Coprinus quadrifidus</u> | "Scaly Inky Cap" | | | X | | | possibly poisonous |
| <u>Cortinarius bolaris</u> | "Saffron-foot Cortinarius" | | X | | X | X | poisonous |
| <u>Cortinarius cyanites group</u> | none | | | X | | | inedible |
| <u>Cortinarius marylandensis syn. Dermocybe marylandensis</u> | none | | | X | | | unknown and not recommended |
| <u>Cortinarius violaceus</u> | "Violet Cort" | | | | | X | not recommended |
| <u>Craterellus fallax</u> | "Black Trumpet" | | | X | | | excellent edible |
| <u>Crepidotus crocophyllus</u> | none | X | | | | | unknown |
| <u>Crinipellis zonata syn. Collybia zonata</u> | "Zoned Crinipellis" | X | | | | | unknown |
| <u>Cuphophyllus pratensis syn. Hygrocybe pratensis syn. Hygrophorus pratensis</u> | "Salmon Waxy Cap" | | X | | | | edible |
| <u>Cyathus striatus</u> | "Fluted Bird's Nest," "Spash Cups" | | X | | | | inedible |
| <u>Cystoderma granulorum</u> | none | | X | | | | inedible or unknown |
| <u>Cystolepiota bucknallii syn. Lepiota bucknallii</u> | none | | | X | | | possibly poisonous |
| <u>Dacrymyces palmatus</u> | "Orange Jelly Cap" | | X | X | | | reports vary -prob. edible, but bland |
| <u>Dacryopinax elegans</u> | none | | | X | | | unknown |
| <u>Daedaleopsis confragosa syn. Daedalea confragosa</u> | "Thin-maze Flat Polypore" | | X | | | | inedible |
| <u>Ductifera pululahuana syn. Tremella pululahuana, syn. Exidia alba</u> | "White Jelly Fungus" | X | | X | | | unknown |
| <u>Entoloma murraii syn. Nolanea murraii, syn. Rhodopvillus murraii</u> | "Yellow Unicorn Entoloma" | | | | X | | possibly poisonous |
| <u>Fistulina hepatica</u> | "Beafsteak Polypore" | | X | | | | edible and reportedly medicinal |
| <u>Flammulaster erinaceella syn. Pholiota erinaceella syn. Phaeomarasmius erinaceellus</u> | "Powder-scale Pholiota" | | | X | | | unknown |
| <u>Fomitopsis cajanderi</u> | "Rosv Polypore" | X | X | X | X | X | inedible |
| <u>Galiella rufa syn. Bulgaria rufa</u> | "Hairy Rubber Cup" | X | | X | | | inedible |
| <u>Ganoderma applanatum syn. G. lipsiense</u> | "Artist's Conk" | X | X | X | X | X | inedible, but medicinal |
| <u>Ganoderma lucidum</u> | "Reishi," "Ling Chi" | X | X | X | X | X | inedible, but very medicinal |
| <u>Geastrum saccatum</u> | "Rounded Earth Star" | | X | | | | inedible |
| <u>Geoglossum difforme</u> | none | | | | X | | inedible |
| <u>Geoglossum simile syn. Geoglossum glabrum var. simile</u> | none | | | X | | | inedible |
| <u>Gerronema strombodes syn. Chrysomphalina strombodes</u> | "Geronimo's Trombone" | | | X | X | | unknown |
| <u>Gloeophyllum sepiarium syn. Lenzites saepiaria</u> | "Yellow-red Gill Polypore" | | | | X | X | inedible |

| Inventory List: | Common Name (if applicable) | Jun-12 | Oct-12 | Jun-13 | Aug-14 | Sep-15 | Edibility Notes* |
|--|------------------------------------|--------|--------|--------|--------|--------|--|
| <u>Gloeophyllum striatum</u> | none | | | | X | | inedible |
| <u>Gloeoporus dichrous</u> syn. <u>Caloporus dichrous</u> , syn. <u>Polyporus dichrous</u> | "Gelatinous-pored polypore" | | | | X | X | inedible |
| <u>Grifola frondosa</u> syn. <u>Polyporus frondosa</u> | "Hen of the Woods," "Maitake" | | X | | | | excellent edible and also medicinal |
| <u>Hapalopilus nidulans</u> syn. <u>H. rutilans</u> syn. <u>Polyporus nidulans</u> | "Tender Nesting Polypore" | | | X | | | inedible |
| <u>Heimioporus betula</u> syn. <u>Austroboletus betula</u> syn. <u>Boletus betula</u> | "Shaggy-stalked Bolete" | | | | X | X | edible |
| <u>Hericium coralloides</u> syn. <u>H. ramosum</u> | "Comb Tooth" | | X | | | | edible and good |
| <u>Hohenbuehelia petaloides</u> syn. <u>Pleurotus petaloides</u> | "Leaf-like Oyster" | | X | | | | edible |
| <u>Hydnellum spongiosipes</u> syn. <u>H. velutinum</u> | "Spongy-footed Tooth" | | X | | | | inedible |
| <u>Hydnum repandum</u> syn. <u>Dentium repandum</u> | "Hedgehog," "Sweet Tooth" | | X | | | | edible and good |
| <u>Hydnum repandum</u> var. <u>albidum</u> syn. <u>Hydnum albidum</u> | "Hedgehog," "Sweet Tooth" | | | X | | | edible (can be slightly bitter or acrid) |
| <u>Hvgrocye acutoconica</u> syn. <u>H. persistens</u> <u>H. langei</u> <u>H. constans</u> | none | | | | X | | edible |
| <u>Hvgrocye conica</u> syn. <u>Hvgrophorus conicus</u> | "Witches Hat" | | | | X | | likely poisonous |
| <u>Hygrocybe persistens</u> syn. <u>H. acutoconica</u> syn. <u>H. constans</u> syn. <u>H. langei</u> | none | | X | | | | inedible |
| <u>Hygrophoropsis aurantiaca</u> syn. <u>Cantherellus aurantiacus</u> | "False Chanterelle" | X | | | | | conflicting reports; possibly toxic |
| <u>Hymenopellis furfuracea</u> syn. <u>Xerula furfuracea</u> syn. <u>Oudemansiella radicata</u> | "Rooted Oudemansiella" | | X | | | | edible, but mediocre |
| <u>Hymenopellis megalopora</u> syn. <u>Xerula megalospora</u> | "Lesser Rooting Xerula" | X | | X | X | X | reportedly non-poisonous |
| <u>Hymenopellis rubrobrunnescens</u> syn. <u>Xerula rubrobrunnescens</u> | none | | | | X | | unknown |
| <u>Hypholoma subviride</u> | none | | | | X | | possibly poisonous |
| <u>Hypomyces hvalinus</u> | "Amanita Mold" | | | | | X | potentially dangerous |
| <u>Inocybe geophylla</u> var. <u>lilacina</u> syn. <u>Inocybe lilacina</u> | "Lilac Fiber Head" | | X | | | | poisonous |
| <u>Inocybe rimosa</u> syn. <u>Inocybe fastigiata</u> | "Straw-colored Fiber Head" | | | | | X | poisonous |
| <u>Inocybe unicolor</u> | none | | | X | X | | no information |
| <u>Irpex lacteus</u> | "Milk-white Toothed Polypore" | X | | X | | | inedible |
| <u>Kretzschmaria deusta</u> syn. <u>Ustulina deusta</u> | "Brittle Cinder," "Carbon Cushion" | X | | | | | inedible |
| <u>Laccaria laccata</u> | "Common Laccaria" | | | X | | | edible |
| <u>Laccaria ochropurpurea</u> | "Purple Gilled Laccaria" | | X | | X | | edible, but rather poor |
| <u>Lactarius argillaceifolius</u> var. <u>argillaceifolius</u> | "Clay-gilled Milk Cap" | | X | X | X | X | unknown |
| <u>Lactarius atroviridis</u> | none | | | | X | X | inedible or unknown /acrid |
| <u>Lactarius chrysorrheus</u> | "Gold-drop Milk Cap" | | X | | X | | poisonous |
| <u>Lactarius cinereus</u> syn. <u>Lactarius cinereus</u> var. <u>fagetorum</u> | none | | | | | X | unknown |
| <u>Lactarius croceus</u> | none | | | | | X | inedible/unknown |
| <u>Lactarius glaucescens</u> syn. <u>Lactarius piperatus</u> var. <u>glaucescens</u> | none | X | | | X | | extremely acrid and likely toxic |
| <u>Lactarius hygrophoroides</u> | "Hygrophorus Milk Cap" | | | | X | X | edible |
| <u>Lactarius imperceptus</u> | none | | X | | | | inedible: bitter/peppery |
| <u>Lactarius indigo</u> var. <u>indigo</u> | "Indigo Milky" | X | X | | X | X | edible |
| <u>Lactarius maculatipes</u> | "Spotted-stalk Milk Cap" | | X | | X | | unknown |
| <u>Lactarius paradoxus</u> | "Silver-blue Milky" | | X | | | | edible |
| <u>Lactarius piperatus</u> var. <u>piperatus</u> | "Peppery Milk-cap" | | | X | | | extremely acrid and likely toxic |
| <u>Lactarius speciosus</u> | none | | X | | X | X | unknown |
| <u>Lactarius subplinthogalus</u> | none | | | X | X | X | not recommended -also acrid |
| <u>Lactarius subpurpureus</u> | "Wine-red Lactarius" | | X | | | | edible for most people |
| <u>Lactarius subvellerus</u> var. <u>subdistans</u> | none | X | | | | | not recommended |
| <u>Lactarius subvernalis</u> var. <u>subvernalis</u> | none | | | | | X | not recommended -and it is acrid |
| <u>Lactarius subvernalis</u> var. <u>cokeri</u> | none | | | X | X | | unknown, but bitter anyway |
| <u>Lactarius volemus</u> | "Bradley," "Tawny Milk Cap" | X | | X | X | X | edible and good |

| Inventory List: | Common Name (if applicable) | Jun-12 | Oct-12 | Jun-13 | Aug-14 | Sep-15 | Edibility Notes* |
|---|---|--------|--------|--------|--------|--------|---|
| <u>Lactarius volemus var. flavus</u> | "none" | | | X | | | edible and good |
| <u>Lactarius yazoensis</u> | none | | | | | X | |
| <u>Laetiporus sulphureus syn. Polyporus sulphureus</u> | "Sulfur Shelf" "Chicken of the Woods" | | | X | | | choice edible (with exceptions) |
| <u>Lentaria micheneri syn. Lachnocladium micheneri</u> | "Stalked Lentinus" | | | X | | | inedible -bitter |
| <u>Lentinellus subaustralis [very similar to Lentinellus micheneri]</u> | none | | X | | | | no information |
| <u>Lentinellus ursinus syn. Lentinus ursinus</u> | "Bear Lentinus" | | X | | | | inedible, bitter or extremely acrid tasting |
| <u>Lenzites betulina syn. Trametes betulina syn. Daedalea betulina</u> | "Multicolor Gill Polypore" | | X | X | X | X | inedible |
| <u>Lepista nuda syn. Clitocybe nuda syn. Tricholoma nudum</u> | "Blewitt" "Wood Blewitt" | | X | | | | edible |
| <u>Leotia lubrica</u> | "Jelly Babies" | | X | | | | inedible |
| <u>Loweomyces fractipes syn. Polyporus fractipes</u> | none | X | | X | X | | no information |
| <u>Lycogala epidendrum syn. Lycoperdon epidendrum</u> | "Wolf's Milk Slime," "Toothpaste Slime" | X | X | | | | inedible |
| <u>Lycoperdon marginatum</u> | "Peeling Puffball" | | X | | | | edible when young and white inside |
| <u>Lycoperdon perlatum syn. L. gemmatum</u> | "Gem-Studded Puffball" | | X | | | X | edible when young and white inside |
| <u>Macrolepiota "procera" syn. Lepiota procera syn. Leucoagaricus procerus</u> | "Parasol Mushroom" | | X | | | | edible |
| <u>Marasmiellus subnigricans syn. Marasmius subnigricans syn. Hemimycena subnigricans</u> | none | | | X | | | no information |
| <u>Marasmius cystidiosus</u> | none | | | X | | | inedible /unknown |
| <u>Marasmius rotula</u> | "Pinwheel Marasmius" | | | X | | | inedible |
| <u>Marasmius siccus (or poss. M. fulvoferrugineus)</u> | "Orange Pinwheel Marasmius" | | X | X | X | X | unknown |
| <u>Marasmius strictipes syn. Collybia strictipes</u> | "Orange-yellow Marasmius" | | X | | | | inedible |
| <u>Marasmius sullivantii</u> | none | X | | | | | unknown |
| <u>Megacollybia rodmanii [former misapplied name = M. platyphylla]</u> | "Platterful Mushroom" | X | | X | X | X | gastric upset in some -best avoided |
| <u>Meripilus sumstinei [often referred to as M. giganteus (European)]</u> | "Black staining Polypore" | | | X | X | | edible when young and tender |
| <u>Metatrichia vesparium syn. Lycoperdon vesparium</u> | "Wasp's Nest Slime Mold" | | | | | X | inedible |
| <u>Multifurca ochricompacta syn. Russula ochricompacta</u> | none | | | | X | | unknown |
| <u>Mycena haematopus</u> | "Bleeding Mycena" | | X | | | X | inedible |
| <u>Mycena pura</u> | "Lilac Mycena," "Pink Mycena" | | X | | | | poisonous |
| <u>Mycorrhaphium adustum syn. Steccherinum adustum</u> | "Kidney-shaped Tooth" | X | | X | X | | inedible |
| <u>Nigroporus vinosus</u> | none | | X | X | X | X | inedible |
| <u>Ophicordyceps melolonthae syn. Cordyceps melolonthae</u> | none | X(?) | | | | | no information |
| <u>Paecilomyces militaris [anamorph of Cordyceps militaris]</u> | "Orange Club Cordyceps" | | | | | X | inedible |
| <u>Panellus stipticus syn. Panus stipticus</u> | "Blue Oyster," "Bitter Oyster" | | X | | | X | inedible (topically medicinal) |
| <u>Phaeolus schweinitzii syn. Polyporus schweinitzii</u> | "Dyer's Polypore," "Butt Rot Fungus" | | | | X | X | inedible and possibly poisonous |
| <u>Phellinus gilvus syn. Polyporus gilvus</u> | "Mustard-yellow Polypore," "Oak Conk" | | X | | X | X | inedible |
| <u>Phlebia incarnata syn. Merulius incarnatus</u> | "Coral-pink Merulius" | | X | | X | X | inedible or unknown |
| <u>Phlebia tremellosa syn. Merulius tremellosus</u> | "Trembling Merulius" | | X | | | | inedible |
| <u>Phylloporus rhodoxanthus syn. P. rhodoxanthus ssp. americanus</u> | "Gilled Bolete" | | | X | | | edible |
| <u>Pleurotus levis syn. Lentinus levis syn. Panus levis syn. Panus strigosus</u> | "Giant Panus" | | | | | X | edible when young and soft |
| <u>Pleurotus pulmonarius</u> | "Lung Oyster," "Indian Oyster" | X | X | | X | | edible |
| <u>Pluteus cervinus syn. P. atricapillus</u> | "Deer or Fawn Mushroom" | X | X | | X | | a mediocre edible |
| <u>Pluteus flavofulgineus</u> | "Smoky Yellow Pluteus" | | | X | | | possibly edible, but uncertain |
| <u>Pluteus longistriatus</u> | "Pleated Pluteus" | X | | | | | edible, but of little substance |
| <u>Polycephalomyces tomentosus syn. Blistum tomentosum syn. Stilbum tomentosum</u> | none | | | | | X | inedible |
| <u>Polyporus alveolaris syn. Polyporus mori, syn. Favolus alveolaris</u> | "Hexagonal-pored Polypore" | X | X | | | | edible, but tough |
| <u>Polyporus varius syn. P. elegans</u> | "Elegant Polypore" | X | | X | X | X | inedible |
| <u>Poronidulus conchifer syn. Trametes conchifer syn. Polyporus conchifer</u> | "Little Nest Polypore" | | X | | | | inedible |

| Inventory List: | Common Name (if applicable) | Jun-12 | Oct-12 | Jun-13 | Aug-14 | Sep-15 | Edibility Notes* |
|---|----------------------------------|--------|--------|--------|--------|--------|-------------------------------------|
| <u>Postia caesia syn. Oligoporus caesius syn. Tyromyces caesius</u> | "Blue Cheese Polypore" | | | | X | | inedible |
| <u>Psathyrella subamara</u> | none | | | X | | | no information |
| <u>Pseudoarmillariella ectypoides syn. Omphalina ectypoides syn. Clitocybe ectypoides</u> | "Wood Clitocybe" | | | | X | | unknown -avoid |
| <u>Pseudomerulius curtisii syn. Meiorganum curtisii syn. Paxillus corrugatus</u> | none | | | | X | X | unknown |
| <u>Pulveroboletus auriflammeus syn. Boletus auriflammeus</u> | "Flaming Gold Bolete" | | | | | X | edible. but poor |
| <u>Ramaria formosa syn. Clavaria formosa</u> | "Yellow Tipped Coral" | | | | X | | poisonous |
| <u>Ramaria stricta syn. Clavaria stricta</u> | "Straight-branched Coral" | | | X | | | inedible |
| <u>Ramariopsis kunzei syn. Clavaria kunzei</u> | "White Coral" | | | | X(?) | | edible |
| <u>Retiboletus griseus syn. Boletus griseus syn. Xerocomus griseus</u> | "Gray Bolete" | | | X | | | edible and considered good |
| <u>Retiboletus ornatipes syn. Boletus ornatipes</u> | "Ornate-stalked Bolete" | | | X | X | X | inedible in our region -too bitter |
| <u>Rhodocollybia butyracea syn. Collybia butyracea</u> | "Buttery Collybia," "Butter Cap" | | X | | | | possibly edible, but not worthwhile |
| <u>Rhodocollybia maculata syn. Collybia maculata</u> | "Spotted Collybia" | | X | | | | inedible, bitter |
| <u>Russula ballouii</u> | "Ballou's Russula" | | | | X | | unknown |
| <u>Russula compacta</u> | "Firm Russula" | | | X | X | X | edible, but very poor -avoid |
| <u>Russula crustosa</u> | "Green Quilt Russula" | X(?) | | | X | | edible and good |
| <u>Russula decolorans</u> | "Graving Russula" | | | X | | | edible |
| <u>Russula dissimulans</u> | none | | | | | X(?) | inedible |
| <u>Russula eccentrica</u> | "Eccentric Russula" | X | | | | | unknown -best avoided |
| <u>Russula ochroleuoides</u> | "Matt Yellow Russula" | X(?) | | X | | | edible |
| <u>Russula parvovirescens</u> | [note: a green Russula] | | | X | X | X | edible |
| <u>Sarcoscypha dudlevi [ref. to in some books as S. coccinea (Pac. NW only)]</u> | "Crimson Cup," "Scarlet Cup" | | | | X | | non-poisonous |
| <u>Sarcoscypha occidentalis</u> | "Stalked Scarlet Cup" | X | | X | | | unknown/ no culinary value |
| <u>Schizophyllum commune</u> | "Common Split Gill" | X | | X | X | X | inedible |
| <u>Scytinopogon angulisporus syn. Clavaria angulispora</u> | none | | | X | | | |
| <u>Sebacina conrescens syn. Tremella conrescens</u> | none | | X | | | | not recommended |
| <u>Sparassis americana f. americana = Sparassis crispa sensu auct. amer.</u> | "Cauliflower Mushroom" | X | | | X | | edible and good when young |
| <u>Steccherinum murashkinskyi syn. Irpex murashkinskyi</u> | none | | | | X | | unknown |
| <u>Stemonitis splendens [or related species]</u> | "Chocolate Tube Slime" | X | | | X | X | inedible or unknown |
| <u>Stereum complicatum syn. S. rameale</u> | "Golden Parchment Fungus" | X | X | X | X | X | inedible |
| <u>Stereum ostrea syn. S. fasciatum, syn. S. lobatum, syn. S. versicolor</u> | "False Turkey Tail" | X | X | X | X | X | inedible |
| <u>Strobilomyces confusus</u> | "Old Man of the Woods" | | | X | X | X | edible, but poor |
| <u>Strobilomyces "strobilaceus" syn. Strobilomyces "floccopus"</u> | "Old Man of the Woods" | | | X(?) | X(?) | | edible, but poor |
| <u>Stropharia hardii</u> | "Hard's Stropharia" | | | X | | | unknown |
| <u>Suillellus hypocarycinus syn. Boletus hypocarycinus</u> | none | | | | X(?) | | unknown, possibly poisonous |
| <u>Suillus hirtellus</u> | none | | X | | X | X | edible |
| <u>Tapinella atrotomentosa syn. Paxillus atrotomentosus</u> | "Velvet-footed Pax" | X | | X | X | X | inedible likely poisonous |
| <u>Tapinella panuoides syn. Paxillus panuoides</u> | "Stalkless Paxillus" | | | X | | | unknown /possibly poisonous |
| <u>Thelephora vialis</u> | "Ground Wart" | | | X | X | | inedible |
| <u>Trametes elegans syn. Daedalea ambigua syn. Daedaleopsis ambigua</u> | none | X | | X | X | | inedible |
| <u>Trametes versicolor syn. Coriolus versicolor</u> | "Turkey Tail" | X | X | X | X | X | inedible, but medicinal |
| <u>Trametopsis cervina syn. Trametes cervina</u> | none | | | X | X | X | inedible |
| <u>Tremella fuciformis</u> | "Silver Ear," "Snow Fungus" | X | X | | | | edible and medicinal |
| <u>Tremella mesenterica syn. T. lutescens</u> | "Witch's Butter" | | X | | | | edible, but bland |
| <u>Tremellodendron pallidum syn. T. schweinitzii</u> | "False Coral" | X | X | X | X | X | edible, but not worthwhile |

| Inventory List: | Common Name (if applicable) | Jun-12 | Oct-12 | Jun-13 | Aug-14 | Sep-15 | Edibility Notes* |
|--|-------------------------------------|--------|--------|--------|--------|--------|------------------------------------|
| <u>Trichaptum biforme</u> syn. Polyporus biformis | "Violet Toothed Polypore" | x | x | x | x | x | inedible |
| <u>Tricholoma sejunctum</u> | "Separated Tricholoma" | | x | | | | inedible /possible poisonous |
| <u>Tricholoma subsplendens</u> [=T. resplendens & T. columbetta, misapplied] | "White Tricholoma" | | x | | | | unknown /not recommended |
| <u>Tricholomopsis decora</u> syn. Clitocybe decora | "Decorated Mop" | x | x | x | | x | serious poisoning reported in 2006 |
| <u>Tubifera ferruginosa</u> | "Red Rasperry Slime" | | | x | | | |
| <u>Tylopilus plumbeoviolaceus</u> | "Violet-grav Bolete." "Plum Bolete" | | | | x | | inedible -bitter |
| <u>Tylopilus rubrobrunneus</u> | "Reddish-brown Bitter Bolete" | | | x | | | inedible -bitter |
| <u>Tyromyces chioneus</u> syn. T. albellus, syn. Polyporus albellus | "White Cheese Polypore" | | x | x | | | inedible -poss. medicinal |
| <u>Vascellum curtisii</u> syn. Lycoperdon curtisii | "Clustered Spiny Puffball" | x | | | | | edible when young |
| <u>Wolfina aurantiopsis</u> | none | | | x | | | inedible |
| <u>Xanthoconium purpureum</u> syn. Boletus purpureofuscus | none | | | x | x | | most likely edible |
| <u>Xeromphalina campanella</u> syn. Omphalina campanella | "Golden Trumpets" "Fuzzy Foot" | | | x | | | inedible |
| <u>Xeromphalina kauffmanii</u> | "Cross-veined Troop Mushroom" | | x | | | | inedible |
| <u>Xerula megalospora</u> syn. Collybia radicata var. pusilla | "Lesser Rooting Xerula" | x | | | | | reportedly non-poisonous |
| <u>Xylaria polymorpha</u> syn. Xylosphaera polymorpha | "Dead Man's Fingers" | x | | x | | | inedible |
| <u>Xylobulus frustulatus</u> syn. Stereum frustulosum | "Ceramic Parchment" | | x | x | x | x | |

species highlighted in red represent species from the most recent foray that were identified for the 1st time at CMS forays

In you notice any errors, discrepancies or inaccuracies, please click below:

[Email Contact](#)

Totals 53 91 94 102 72

New species identified (first time here) 75 56 35 15

The specimens noted below were not identified to species:

| | | | | | | |
|-------------------------------------|--|---|---|---|---|---|
| Amanita section Amidella | | x | | | | |
| Amanita section Caesarea | | x | | | | |
| Amanita section Lepidella | | x | | x | | x |
| Amanita section Vaginatae | | x | | | | x |
| Amanita section Vaginatae | | x | x | | | |
| Amanita species | | | | | | x |
| Boletus species | | | x | | x | |
| Coral mushroom -unidentified genera | | | x | | | |
| Coral mushroom -unidentified genera | | | x | | | |
| Coral mushroom -unidentified genera | | x | x | | | |
| Cortinarius species | | | x | | | x |
| Cortinarius species | | | x | | | x |
| Entoloma species | | | x | | | |
| Entoloma species | | | | x | | |
| Helvella species | | | | x | | |
| Hohenbuehelia species | | | x | | x | |
| Hydnellum species | | | | | | x |
| Hydnellum species | | | | | | x |
| Hygrocybe species | | | x | | | |
| Hygrocybe species | | | x | x | | |
| Hymenopellis species | | | x | | | |
| Inocybe species | | x | | | | x |

*The edibility listing is only intended as a guide. Be sure to check several sources before consuming any wild mushrooms, which may be toxic. Cumberland Mycological Society, it's officers and members, assume no liability for these contents, nor their accuracy. Those who consume wild mushrooms should be absolutely certain of their identification, should consult multiple credible sources for verification, and assume full responsibility for their actions.

| Inventory List: | Common Name (if applicable) | Jun-12 | Oct-12 | Jun-13 | Aug-14 | Sep-15 | Edibility Notes* |
|------------------------|-----------------------------|--------|--------|--------|--------|--------|------------------|
| Lactarius species | | X | | | | X | |
| Lactarius species | | | X | | | X | |
| Lentaria species | | | | | X | | |
| Lentinellus species | | | X | | | | |
| Lepiota species | | | | X | | | |
| Peziza species | | X | | | X | | |
| Pluteus species | | | X | | | | |
| Polypore species | | X | X | | | X | |
| Ramaria species | | | X | | | | |
| Ramaria species | | | X | | | | |
| Ramaria species | | | X | | | | |
| Ramaria species | | X | X | X | X | | |
| Russula species -red | | | | X | | X | |
| Russula species | | | | X | | X | |
| Sarcodon species | | | | | | X | |
| Scleroderma species | | | | | | X | |
| Scutellinia species | | | | | | X | |
| Steccherinum species | | | X | | | | |
| Stropharia species | | | | | | X | |
| Suillus species | | | X | | | | |
| Tricholomopsis species | | | X | | | | |
| Unidentified species | | X | | | | | |
| Xylaria species | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Note: This species list is not representative of all mushrooms present on a given date. Collecting is limited to certain trails and locations and not all specimens found are always gathered. Many of the collected specimens never get identified or recorded for various reasons, which include (but are not limited to): time restraints and condition of specimens.

For best printing results, reduce margins and print landscape mode on legal paper

For Cumberland Mycological Society home page, click link below:
www.cumberlandmycology.com

| | | | | | | | |
|--|--|--|--|--|--|--|--|
| | | | | | | | |
|--|--|--|--|--|--|--|--|