

**Savage Gulf State Natural Area, part of South Cumberland State Park
by Cumberland Mycological Society, Crossville, TN**

*Place cursor over cells with red
triangles to view pictures
and/or comments*

Click underlined x's for photo links

click on underlined species for web links to details about those species

<u>Scientific name</u>	<u>common names (if applicable)</u>	<u>Sep-15</u>	<u>Edibility Notes*</u>
<u>Albatrellus confluens</u>	<u>none</u>	<u>x</u>	edible, but sometimes bitter
<u>Albatrellus cristatus</u> <u>syn. Polyporus cristatus</u>	<u>"Crested Polypore"</u>	<u>x</u>	inedible or unknown
<u>Aleurodiscus wakefieldiae</u> <u>syn. A. oakesii</u> <u>syn. Corticium oakesii</u>	<u>"Oak Parchment" "Hop Hornbeam Disc"</u>	<u>x</u>	inedible
<u>Amanita amerifulva</u> [often called 'Amanita fulva' -a European species]	<u>"Tawny Grisette"</u>	<u>x</u>	edible -with extreme caution!!
<u>Amanita amerirubescens</u>	<u>"Blusher"</u>	<u>x</u>	edible -with extreme caution!!
<u>Amanita arkansana</u>	<u>"Arkansas Slender Caesar"</u>	<u>x(?)</u>	
<u>Amanita banningiana</u>	<u>"Mary Banning's Slender Caesar"</u>	<u>x</u>	no information
<u>Amanita bisporigera</u> = <u>A. virosa</u> <u>sensu auct. amer. (Ref. RET)</u>	<u>"Destroying Angel"</u>	<u>x</u>	deadly poisonous!
<u>Amanita brunnescens</u>	<u>"Cleft foot-Amanita"</u>	<u>x</u>	possibly poisonous
<u>Amanita canescens</u>	<u>"Golden Threads Lepidella"</u>	<u>x</u>	
<u>Amanita citrina</u> <u>f. lavendula</u>	<u>"Lavender-staining Citrina"</u>	<u>x</u>	possibly poisonous
<u>Amanita farinosa</u>	<u>"Powdery-cap Amanita"</u>	<u>x</u>	unknown; not recommended
<u>Amanita flavoconia</u>	<u>"Yellow Patches"</u>	<u>x</u>	possibly poisonous
<u>Amanita multisquamosa</u> <u>syn. A. pantherina</u> , <u>var. multisquamosa</u>	<u>"Panther"</u>	<u>x</u>	poisonous
<u>Amanita muscaria</u> <u>var. guessowii</u> <u>syn. A. muscaria</u> <u>var. formosa</u>	<u>"Yellow-orange Fly Agaric"</u>	<u>x</u>	poisonous
<u>Amanita parvicolvata</u>	<u>"Ringless False Fly Agaric"</u>	<u>x</u>	likely poisonous
<u>Amanita polypyramis</u>	<u>"Plateful of Pyramids Lepidella"</u>	<u>x</u>	poisonous
<u>Amanita subcokeri</u> <u>Tulloss nom. prov. = Amanita species M5</u>	<u>"False Coker's Lepidella"</u>	<u>x</u>	inedible or unknown
<u>Armillaria mellea</u> <u>syn. Armillariella mellea</u>	<u>"Honey Mushroom"</u>	<u>x</u>	edible (for most) if well-cooked
<u>Aureoboletus auriporus</u> <u>syn. Boletus auriporus</u> <u>syn. Boletus viridiflavus</u>	<u>"Gold-pored Bolete"</u>	<u>x</u>	edible
<u>Austroboletus gracilis</u> <u>var. gracilis</u> <u>syn. Tylopilus gracilis</u>	<u>"Graceful Bolete"</u>	<u>x</u>	edible
<u>Boletellus chrysenteroides</u>	<u>none</u>	<u>x</u>	edible
<u>Boletus bicolor</u> <u>var. bicolor</u>	<u>"Two-colored Bolete"</u>	<u>x(?)</u>	edible w/ caution
<u>Boletus innixus</u> <u>syn. B. caespitosus</u> , <u>syn. Austroboletus innixus</u>	<u>"Clustered Brown Bolete"</u>	<u>x</u>	edible
<u>Boletus nobilis</u>	<u>"Noble Bolete"</u>	<u>x(?)</u>	edible
<u>Boletus pallidus</u>	<u>"Pale Bolete"</u>	<u>x</u>	edible
<u>Callistosporium luteo-olivaceum</u> <u>syn. Collybia luteo-olivaceous</u>	<u>none</u>	<u>x</u>	unknown
<u>Cantharellus "cibarius"</u>	<u>"Golden Chanterelle"</u>	<u>x</u>	choice edible -with caution
<u>Ceratiomyxa fruticulosa</u>	<u>"Coral Slime"</u>	<u>x</u>	inedible
<u>Chroogomphus vinicolor</u>	<u>"Wine-cap Chroogompgus," "Pine Spike"</u>	<u>x</u>	edible
<u>Clavulina cristata</u> <u>syn. C. coralloides</u> , <u>syn. Clavaria cristata</u>	<u>"Crested Coral"</u>	<u>x</u>	edible
<u>Clitopilus prunulus</u>	<u>"Sweetbread Mushroom"</u>	<u>x</u>	edible w/ caution (look-alikes!)
<u>Cordyceps militaris</u>	<u>"Scarlet Caterpillar Club"</u>	<u>x</u>	inedible
<u>Cortinarius cf. alboviolaceus</u>	<u>"Silvery-violet Cort"</u>	<u>x</u>	edible, but not recommended
<u>Cortinarius bolaris</u>	<u>"Saffron-foot Cortinarius"</u>	<u>x</u>	poisonous
<u>Cortinarius caperatus</u> <u>syn. Rozites caperata</u>	<u>"The Gypsy"</u>	<u>x</u>	edible and medicinal
<u>Cortinarius semisanguineus</u> <u>syn. Dermocybe semisanguinea</u>	<u>"Red-gilled Cort"</u>	<u>x</u>	inedible -possibly poisonous
<u>Craterellus ignicolor</u> <u>syn. Cantharellus ignicolor</u>	<u>"Flame-colored Chanterelle"</u>	<u>x</u>	most likely edible
<u>Elaphocordyceps ophioglossoides</u> <u>syn. Cordyceps ophioglossoides</u>	<u>"Golden Thread Cordyceps"</u>	<u>x</u>	unknown
<u>Entoloma salmoneum</u> <u>syn. Nolanea salmonea</u> <u>syn., Nolanea quadrata</u>	<u>"Salmon Unicorn Entoloma"</u>	<u>x</u>	possibly poisonous
<u>Fomitopsis cajanderi</u>	<u>"Rosy Polypore"</u>	<u>x</u>	inedible
<u>Ganoderma applanatum</u> <u>syn. G. lipsiense</u>	<u>"Artist's Conk"</u>	<u>x</u>	inedible, but medicinal
<u>Gerronema strombodes</u> <u>syn. Chrysomphalina strombodes</u>	<u>"Geronimo's Trombone"</u>	<u>x</u>	unknown

Scientific name	common names (if applicable)	Sep-15	Edibility Notes*
<u>Gloeophyllum sepiarium</u> syn. <u>Lenzites saepiaria</u>	"Yellow-red Gill Polypore"	x	inedible
<u>Gymnopus dryophilus</u> syn. <u>Collybia dryophila</u>	"Oak-loving Collybia"	x	possibly poisonous -best avoided
<u>Heimioporus betula</u> syn. <u>Austroboletus betula</u> syn. <u>Boletus betula</u>	"Shaggy-stalked Bolete"	x	edible
<u>Hydnum repandum</u> syn. <u>Dentium repandum</u>	"Hedgehog," "Sweet Tooth"	x	edible and good
<u>Hydnum repandum</u> var. <u>albidum</u> syn. <u>Hydnum albidum</u>	"Hedgehog," "Sweet Tooth"	x	edible (can be slightly bitter or acrid)
<u>Hygrocybe cantherellus</u> syn. <u>Hygrophorus cantharellus</u>	"Chanterelle Waxy Cap"	x(?)	non poisonous
<u>Hygrophorus</u> cf <u>tennesseensis</u>	"Tennessee Waxy Cap"	x	inedible
<u>Hymenopellis furfuracea</u> syn. <u>Xerula furfuracea</u> syn. <u>Oudemansiella radicata</u>	"Rooted Oudemansiella"	x	edible, but mediocre
<u>Hypholoma capnoides</u> syn. <u>Naematoloma capnoides</u>	"Conifer Tuft"	x(?)	edible, w/ caution, but mediocre
<u>Laccaria ochropurpurea</u>	"Purple Gilled Laccaria"	x	edible, but rather poor
<u>Lactarius argillaceifolius</u> var. <u>argillaceifolius</u>	"Clay-gilled Milk Cap"	x	unknown
<u>Lactarius chrvsorrhheus</u>	"Gold-drop Milk Cap"	x	poisonous
<u>Lactarius imperceptus</u>	none	x	inedible: bitter/peppery
<u>Lactarius indigo</u> var. <u>indigo</u>	"Indigo Milky"	x	edible
<u>Lactarius maculatipes</u>	"Spotted-stalk Milk Cap"	x	unknown
<u>Lactarius mucidus</u> var. <u>mucidus</u>	none	x	unknown
<u>Lactarius peckii</u>	"Peck's Milk Cap"	x	not recommended /acrid
<u>Lactarius quietus</u> var. <u>incanus</u>	none	x	unknown
<u>Lactarius speciosus</u>	none	x	unknown
<u>Lactarius subplinthogalus</u>	none	x	not recommended -also acrid
<u>Lactarius subpurpureus</u>	"Wine-red Lactarius"	x	edible for most people
<u>Lactarius vazooensis</u>	none	x(?)	
<u>Lentinellus cochleatus</u> syn. <u>Lentinus cochleatus</u>	"Cockle-shell Lentinus"	x	inedible
<u>Lenzites betulina</u> syn. <u>Trametes betulina</u> syn. <u>Daedalea betulina</u>	"Multicolor Gill Polypore"	x	inedible
<u>Lycoperdon perlatum</u> syn. <u>L. gemmatum</u>	"Gem-Studded Puffball"	x	edible when young and white inside
<u>Marasmius siccus</u> (or poss. <u>M. fulvoferrugineus</u>)	"Orange Pinwheel Marasmius"	x	unknown
<u>Marasmius strictipes</u> syn. <u>Collybia strictipes</u>	"Orange-yellow Marasmius"	x	inedible
<u>Megacollybia rodmanii</u> [former misapplied name = <u>M. platyphylla</u>]	"Platterful Mushroom"	x	gastric upset in some -best avoided
<u>Multifurca furcata</u> syn. <u>Lactarius furcatus</u>	none	x	no information
<u>Mutinus elegans</u>	"Elegant Stinkhorn"	x	edible in the egg stage (if you dare!)
<u>Mycena haematopus</u>	"Bleeding Mycena"	x	inedible
<u>Mycena pura</u>	"Lilac Mycena," "Pink Mycena"	x	poisonous
<u>Mycorrhaphium adustum</u> syn. <u>Steccherinum adustum</u>	"Kidney-shaped Tooth"	x	inedible
<u>Oligoporus caesius</u> syn. <u>Tyromyces caesius</u> syn. <u>Postia caesia</u>	"Blue Cheese Polypore"	x	inedible
<u>Oxyporus populinus</u> syn. <u>Fomes connatus</u>	"Mossy Maple Polypore"	x	inedible
<u>Paecilomyces militaris</u> [anamorph of <u>Cordyceps militaris</u>]	"Orange Club Cordyceps"	x	inedible
<u>Paxillus involutus</u>	"Poison Paxillus"	x	dangerously poisonous
<u>Phellodon alboniger</u>	none	x	inedible
<u>Phellodon niger</u>	"Black Tooth"	x(?)	inedible
<u>Psathyrella delineata</u>	"Wrinkled Psathyrella"	x	unknown
<u>Pseudoarmillariella ectypoides</u> syn. <u>Omphalina ectypoides</u> syn. <u>Clitocybe ectypoides</u>	"Wood Clitocybe"	x	unknown -avoid
<u>Russula brevipes</u> syn. <u>R. delica</u>	"Short-stalked White Russula"	x	possibly edible, but poor
<u>Russula densifoila</u>	none	x(?)	unknown -not recommended
<u>Russula variata</u> syn. <u>R. cyanoxantha</u> var. <u>variata</u>	"Variable Russula"	x	edible
<u>Sparassis americana</u> f. <u>americana</u> = <u>Sparassis crispa</u> sensu auct. amer.	"Cauliflower Mushroom"	x	edible and good when young
<u>Sparassis spathulata</u> syn. <u>S. herbstii</u>	"Cauliflower Mushroom"	x	edible
<u>Steccherinum ochraceum</u>	"Ochre Spreading Tooth"	x	inedible
<u>Stereum complicatum</u> syn. <u>S. rameale</u>	"Golden Parchment Fungus"	x	inedible

<u>Scientific name</u>	<u>common names (if applicable)</u>	<u>Sep-15</u>	<u>Edibility Notes*</u>
			officers and members, assume no liability for these contents, nor their accuracy. Those who consume wild mushrooms should be absolutely certain of their identification, should consult multiple credible sources for verification, and assume full responsibility for their actions.

For best printing results, reduce margins and print landscape mode on legal paper

For Cumberland Mycological Society home page, click link below:
www.cumberlandmycology.com